



MIKE BUSCH

COMMENTARY / SAVVY AVIATOR

Pre-buy Do's and Don'ts

If you're buying an aircraft, here's how to structure the pre-buy

OVER THE PAST SIX MONTHS, my company's pre-buy activity has gone right through the roof. We've been responding to 30 to 50 pre-buy requests a month, perhaps four times as many as we were seeing a year ago.

I'm not quite sure what this means for the health of general aviation. On one hand I'm seeing a lot of owners selling their airplanes, but on the other hand I'm seeing a lot of other folks buying them. And on one hand I'm seeing owners selling their airplanes because they can't afford to keep them and aren't using them enough, but on the other hand I'm seeing owners selling their airplanes because they're upgrading from singles to twins or from pistons to turbines. Occasionally, the sellers turn out to be banks trying to get rid of re-possessed planes.

It's a confusing picture, but overall my impression is optimistic.

As manager of pre-buys, my company always represents prospective buyers in these transactions. (Often the sellers are represented by brokers, although sometimes they're do-it-yourselfers.) Having managed more than 500 pre-buys in the past few years we've pretty much got it down to a science. We've also seen pretty much everything that can possibly go wrong and every mistake that can be made.

WHO AND WHERE

When a prospective buyer finds an airplane he likes and asks us to manage a pre-buy on it, the first challenge is to choose a service center or mechanic to examine the aircraft. This is one of the most important decisions that will determine if the pre-buy has a good outcome. There are three important rules we follow in making this choice.

First, the pre-buy examination* must be done by a shop or mechanic with extensive expertise with the specific aircraft make and model involved. Since the mechanic will have only a limited amount of time to examine the aircraft, it's essential that he know exactly where to look for problems—i.e., what this model's most common and serious problems are. This kind of knowledge only comes with extensive experience with the particular make and model. Ideally, the pre-buy should be done at a factory-authorized service center or type-specific specialty shop.

Second, the shop or mechanic chosen to perform the pre-buy must have no prior history maintaining the aircraft and no prior relationship with the seller or (if applicable) the seller's broker. We need the mechanic who performs the pre-buy to approach the aircraft with an appropriately skeptical attitude about its condition and airworthiness. A mechanic who has been maintaining the aircraft is naturally going to be predisposed to assume that the aircraft is in good and airworthy condition (particularly if he signed off the last annual inspection). A mechanic who has a relationship with the seller is bound to be reluctant to say anything that might spoil the deal for his customer or friend. (If the seller or broker recommends a shop or mechanic for the pre-buy, that's probably one you want to avoid using.)

Third, the pre-buy needs to be done within a reasonable distance of where the aircraft is located. Few sellers will be comfortable having their aircraft flown halfway across the country for a pre-buy, and few buyers want to run up a big fuel bill ferrying an aircraft a long distance when they're not yet sure they will be buying it. The guideline we use is that the pre-buy shop should be within one hour's flying time from the aircraft's home base.

*We use the term "pre-buy examination" for what many call a "pre-purchase inspection." We try to avoid using the term "inspection" in connection with a pre-buy, because "inspection" has a specific regulatory meaning under the FARs. A pre-buy should never be structured as an inspection.

PURPOSE AND OBJECTIVES

Once the pre-buy shop has been chosen, the next order of business is providing specific guidance to the mechanic on the desired scope and detail of the examination—in other words, how much time the mechanic should spend examining the aircraft, and on what specific areas and items the examination should focus.

There is nothing in the FARs or maintenance manual that dictates what a pre-buy examination should cover. Each individual buyer has to decide how long the pre-buy examination should take, how deep it should go, and how much it should cost. Some buyers are content with a quick “look-see” that takes only a few hours; others want a full-blown annual inspection. We’ve got some pretty strong opinions about this.

One frequently hears it said that “the best pre-buy is an annual inspection.” I

think this advice is completely wrong-headed. In my view, a pre-buy has objectives that are dramatically different from an annual inspection, and should be organized, performed, and documented in a very different fashion.

The purpose of an annual inspection (defined by FAR §43.15) is to identify *all* airworthiness discrepancies, whether trivial discrepancies that cost \$50 to correct or major catastrophes that cost \$50,000 to resolve. Once started, an annual inspection must continue to completion of all inspection checklist items, and always results in a logbook entry (per FAR §43.11) that declares the aircraft airworthy or unairworthy.

In contrast, the purpose of a pre-buy is to provide the prospective buyer the information he needs to (1) decide whether to purchase the aircraft or walk away from the deal, and (2) identify any costly

WHAT DOES IT COST?

While there are a lot of variables, we generally figure a pre-buy examination should require roughly:

- Six hours of labor for a simple fixed-gear piston single like a Cessna 172
- Eight hours of labor for a retractable or advanced-technology normally aspirated piston single like a Bonanza or Cirrus
- 10 hours of labor for a turbocharged piston single
- 16 hours of labor for a normally aspirated piston twin
- 20 hours of labor for a turbocharged or pressurized piston twin

As a general rule, that’s about one-third to one-half the cost of an annual inspection.

If a lifter pull and cam inspection is warranted, add about five hours per engine.

Also, add the cost of the test flight and ferry flights.



OPEN COCKPITS DEMAND THE S1 DIGITAL

THE BEST IN AVIATION HEADSETS

- Custom fit and noise reduction with Smart Update Digital ANR
- Headband tension adjustment
- Treble Boost control (Digital model)
- Ear pad comfort zones
- Special communication and music filters
- Phone & music connectivity (Bluetooth on Digital model)

Sennheiser aviation headsets. Put on before flight.™

Learn More:
www.Sennheiser-Aviation.com

SENNHEISER
The Pursuit of Perfect Sound

ANNUAL INSPECTION	PRE-BUY EXAMINATION
Aircraft owner pays for the inspection and for any necessary repairs.	Prospective buyer pays for the pre-buy exam. No repairs are permissible (since buyer doesn't own the aircraft yet).
Aircraft owner selects shop or mechanic, and manages the inspection.	Prospective buyer selects shop or mechanic, and manages the pre-buy exam.
Scope and detail defined by regulation (usually Part 43 Appendix D) or manufacturer's maintenance manual.	Scope and detail solely at the discretion of the buyer, and should be quite different than for an annual inspection.
By regulation <i>all</i> airworthiness discrepancies, whether major or minor, must be identified and documented.	Focus is strictly on finding big-ticket showstopper discrepancies that would cause the buyer to walk away or have a significant effect on the selling price.
Once begun, required to continue inspection to completion of all inspection checklist items.	May terminate any time examination uncovers a showstopper that persuades buyer to walk away from the deal.
Always culminates in a logbook entry per FAR §43.11, either approving or disapproving the aircraft for return to service.	Never documented in the aircraft maintenance records (unless buyer purchases aircraft and opts to convert pre-buy into an annual).

There are numerous differences between an annual inspection and a pre-buy examination.

airworthiness issues that he will ask the seller to pay to correct. The pre-buy exam should focus strictly on identifying any showstopper discrepancies that would cost big bucks to fix. It makes no sense to waste time and money looking for minor discrepancies that won't influence the buyer's purchase decision or trigger renegotiation of the purchase price.

Unlike an annual inspection, the pre-buy will not necessarily go to completion. If some big-ticket showstopper issue is discovered during the pre-buy exam, then an immediate time-out should be called while the buyer considers the implications of the showstopper, discusses it with the seller, and decides whether to walk away from the deal. Unless the showstopper is resolved between buyer and seller, there's no point in the buyer spending any additional money on the pre-buy exam.

For this reason, the order in which things are examined during the pre-buy is important. We always want to start with the most expensive stuff. That typically means the engine and a review of records to identify any non-compliance with airworthiness directives and airworthiness limitations. Only if that looks okay would we want to proceed to other areas (airframe, cabin, panel, wheels and brakes, etc.) that require more disassembly and are less likely to reveal showstoppers. That's why my company always structures its pre-buy checklist in two distinct phases, where phase one covers firewall-forward plus

logbook review, and phase two covers everything else.

Also, unlike an annual inspection, the pre-buy exam should *never* result in any logbook entries that document discrepancies or airworthiness determinations. The pre-buy is performed at the buyer's expense, by a shop or mechanic selected by the buyer, and its findings are strictly for the benefit of the buyer to guide his purchase decision and price negotiations.

If the pre-buy were to be structured as an "inspection" and the shop finds a significant airworthiness discrepancy, then the buyer is likely to walk away and the seller could find himself over a barrel with a grounded aircraft at a distant and unfamiliar shop that he didn't choose. That's hardly fair to the seller, and no seller in his right mind would agree to such an arrangement (although inexperienced sellers often do, often to their detriment).

SCOPE AND DETAIL

Since the goals of a pre-buy are so different than those of an annual inspection, the scope and detail should also be very different. In most areas, a pre-buy exam need not go nearly as deep as an annual inspection. But in certain areas, the pre-buy may need to go deeper.

For example, during a pre-buy there's no reason to jack the airplane and remove the wheels to inspect wheel bearings and micrometer the brake disks, nor is there any reason to measure control cable tensions and control surface deflections. These are all things that have to be done at annual, but none would be likely to influence the buyer's purchase decision or price negotiations. While they could be airworthiness discrepancies, they're quick and inexpensive to fix and therefore not worth worrying about in the context of a pre-buy.

On the other hand, the condition of the engine's cam and lifters are a major concern during the pre-buy, especially if the aircraft has not flown much recently (a common situation with airplanes that are up for sale). If the aircraft has low- or mid-time engines, a substantial portion of the purchase price is predicated on the presumption that the



If a Continental-powered aircraft has been inactive for months preceding the pre-buy exam, it may be prudent to pull some lifters and inspect them and the cam lobes for pitting or spalling.

engine(s) will provide the buyer many years and hundreds of hours of service. A premature engine teardown necessitated by a spalled camshaft or cracked crankcase could be a financial catastrophe for the buyer, and exactly the kind of thing the pre-buy exam is intended to prevent.

For that reason, we always spend a good deal of time researching the aircraft logbooks to determine the aircraft's history of activity and inactivity, where the aircraft was located during any periods of inactivity, and whether the aircraft spent those periods indoors or outdoors. We also bore-scope the cylinders carefully, looking for evidence of corrosion pitting, because if we find pitted cylinders, we get worried about the possibility of a pitted cam. On big-bore Continental engines, we may direct the shop to pull lifters and inspect the cam—something that would never be done during an annual inspection.

On Lycomings, it's normally impossible to inspect the cam without removing cylinders (which would be inappropriately invasive), so we have to resort to other methods. One strategy we've used successfully in such situations is to persuade both seller and buyer to put an agreed-to portion of the purchase price in escrow for a year—if the engine starts "making metal" during the next 12 months, the money goes to the buyer to fund the premature teardown; otherwise, it goes to the seller at the end of the 12 months.

CONVERT PRE-BUY TO ANNUAL?

Once the pre-buy is complete and the prospective buyer has decided to purchase the aircraft and has taken title to it, there's nothing to prevent the new owner from converting the pre-buy into a full annual inspection. In fact, this is often quite a sensible thing to do.

After all, the logbook research has already been performed, the aircraft is already opened up, and much of the airframe, engine, and propeller inspection has already been completed. So finishing up the annual inspection, repairing any remaining discrepancies, and completing the logbook entries and other necessary annual inspection paperwork is often the most cost-efficient course of action.

A possible downside can arise when the aircraft's new home base is a long distance from where the pre-buy exam was performed. In this situation, if the new owner converts the pre-buy into an annual, then flies the aircraft home and some post-annual problems arise, it's usually impractical to take the aircraft back to the shop to have those issues addressed. This is worth thinking about when deciding whether or not to convert a pre-buy exam into an annual inspection.



32 years ago I bought a different Sport/Utility plane, flew it for 12 years and made seven trips from Salt Lake to Alaska and Western Canada. I enjoyed them all, but improvements were needed for this type of flying: longer range, more speed, and greater space. I wanted these upgrades without sacrificing slow flight, short takeoffs/landings, carrying capacity, toughness, reliability, and simplicity. The Husky with its 180 hp, 52-gallon fuel capacity, over one-ton gross weight, and two-inch wider cabin provided the solution. I have been rewarded time and again in my Husky during the 7 additional trips above the Arctic Circle, and countless around the desert southwest with my sons and brave wife. Bill Browning

Try HuskyFlight. Your Ride to Freedom.

Log on to <http://husky.aviataircraft.com>. Check out the videos get inspired, and call 307-885-3051 to schedule your own Husky Experience!

AVIATAIRCRAFT.COM Post Office Box 1240 Afton, WY 83110

HUSKY
AVIAT AIRCRAFT INC.
HUSKY ★ PITTS ★ EAGLE



Everything For LSA & Ultralight Aircraft

Authorized SERVICE CENTRE
ROTAX
AIRCRAFT ENGINES



FREE CATALOG!




SALES
PARTS
SERVICE
TRAINING



1-800-AIRWOLF

WWW.CPS-PARTS.COM

MIKE BUSCH




This is a Lycoming owner's worst nightmare, but it's impossible to see during a pre-buy exam (short of pulling cylinders), so we have to manage the risk in other ways.

KEY TAKEAWAYS

- Have the pre-buy exam performed by a shop or mechanic that has lots of experience with the particular make and model.
- Make sure the pre-buy shop or mechanic is not one that has maintained the aircraft before, and has no prior relationship with the seller or his broker. This usually means that the aircraft will have to be flown to the pre-buy shop, which should be within a reasonable distance of the aircraft's home base (typically one hour's flying time or less). If the seller won't agree to this, walk away.
- The pre-buy and any ferrying expenses should be paid for solely by the buyer. Never agree to have the buyer and seller split the costs of the pre-buy, because in that case the seller will want to control the location and scope of the pre-buy.
- Never structure a pre-buy as an "inspection"—particularly not as an "annual inspection."
- Start with the expensive firewall-forward area plus the log-book review. Don't waste time and money looking for nitpicky stuff that won't affect the purchase decision or price negotiations. Focus strictly on finding big, expensive showstoppers.
- If you find a big showstopper, halt the pre-buy exam and contact the seller. If the seller agrees to pay to resolve the showstopper, then resume the exam; if not, cut your losses and walk away.
- Once you've bought the aircraft, it sometimes makes sense to convert the pre-buy into an annual inspection. **EAA**

Mike Busch, EAA 740170, was the 2008 National Aviation Maintenance Technician of the Year, and has been a pilot for 44 years, logging more than 7,000 hours. He's a CFI and A&P/IA. E-mail him at mike.busch@savvyaviator.com. Mike also hosts free online presentations as part of EAA's webinar series on the first Wednesday of each month. For a schedule visit www.EAA.org/webinars.



Interactive. Educational. Mobile.

EAA offers a series of free live webinars moderated and presented by aviation experts on a variety of topics.

Register today!
EAA.org/webinars



EAA Webinars are supported by

